EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	110	380/286.ccls. AND ((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 21:33
L2	2	"5852721".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 21:46
L3	184	(key encrypt$3 RSA) WITH ((network Ethernet MAC LAN "local area network" "media access" "802.$3") NEAR2 (address ID identification number)) SAME ((storage memory) NEAR3 (location cache buffer unit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/29 22:12
L4	27	3 AND ((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 22:13
L5	289	(key encrypt$3 RSA) WITH ((network Ethernet MAC LAN "local area network" "media access" "802.$3") NEAR2 (address ID identification number)) SAME ((storage memory store $3RAM ROM) NEAR4 (area block location cache buffer unit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/29 22:46
L6	39	5 AND ((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 22:46
L7	2505	(key encrypt$3 RSA hash$3) NEAR8 ((Ethernet MAC LAN "local area network" "media access" "802.$3") NEAR3 (address ID identification number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/29 22:49

L8	138	(key encrypt$3 RSA hash$3) NEAR6 ((Ethernet MAC LAN "local area network" "media access" "802.$3") NEAR2 (address ID identification number)) AND ((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 22:49
L9	434	711/3.ccls. AND ((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 22:56
L10	144	713/162.ccls. AND ((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 23:08
L11	161	725/50,132,140,152.ccls. AND ((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 23:33
L12	317	(key encrypt$3 RSA hash$3) SAME ((Ethernet MAC LAN "local area network" "media access" "802.$3") NEAR3 (address ID identification number)) AND ((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 23:35
L13	0	11 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 23:36
L14	41	12 AND "713"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 23:36
L15	11	(cipher$3) SAME ((Ethernet MAC LAN "local area network" "media access" "802.$3") NEAR3 (address ID identification number)) AND ((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 23:41
L16	16	(cipher$3) SAME ((Ethernet MAC LAN "local area network" "media access" "802.$3") NEAR3 (address ID identification number)) AND ((@ad <= "19990205") or (@rlad <= "19990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 23:41

L17	185	(key encrypt$3 RSA hash$3) NEAR6 ((Ethernet MAC LAN "local area network" "media access" "802.$3") NEAR2 (address ID identification number)) AND (((@ad <= "19990205") or (@rlad <= "19990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 23:43
L18	47	17 NOT 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/29 23:43
L19	2	(cipher$3) NEAR6 ((Ethernet MAC LAN "local area network" "media access" "802.$3") NEAR2 (address ID identification number)) AND (((@ad <= "19990205") or (@rlad <= "19990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 23:46
L20	45	5 AND (((@ad <= "19990205") or (@rlad <= "19990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 23:46
L21	1	(cipher$3) WITH ((network Ethernet MAC LAN "local area network" "media access" "802.$3") NEAR2 (address ID identification number)) SAME ((storage memory store $3RAM ROM) NEAR4 (area block location cache buffer unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/29 23:48
S1	371	725/50 725/132 725/140 725/152	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 02:48
S2	0	(725/50 725/132 725/140 725/152) AND ((@ad <= "1990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/13 14:42
S3	128	725/31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 11:00
S4	19	S3 AND (((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 10:14

S5	390	725/50 725/132 725/140 725/152	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:17
S6	93	S5 AND ((@ad <= "19990205") or (@rlad <= "19990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:35
S7	41	S6 and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:35
S8	1810	717/168-178.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:34
S9	656	S8 and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:35
S10	247	S9 AND ((@ad <= "19990205") or (@rlad <= "19990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:36
S11	114	S8 and (key NEAR5 (generat$3 creat$3 RSA DES))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:36
S12	31	S11 AND ((@ad <= "19990205") or (@rlad <= "19990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:48
S13	2	metz.inv. and "725"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:41
S14	52	RSA NEAR2 (random)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:41
S15	2	("5801781" "6128467").pn.	USPAT	OR	OFF	2005/04/18 15:56

S16	15781	"380"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 02:48
S17	104	S16 AND ((key encrypt$3 encod$3) WITH ((MAC LAN "local area network" "media access" "802.$3") NEAR2 (address ID identification number)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 02:59
S18	11	S17 AND (((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 03:00
S19	1121	(key encrypt$3 RSA) WITH ((MAC LAN "local area network" "media access" "802.$3") NEAR2 (address ID identification number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 03:02
S20	124	S19 AND (((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 03:02
S21	3511	(key encrypt$3 RSA) WITH ((network Ethernet MAC LAN "local area network" "media access" "802.$3") NEAR2 (address ID identification number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 03:03
S22	685	S21 AND (((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 04:06
S23	1164	(key encrypt$3 RSA) WITH ((Ethernet MAC LAN "local area network" "media access" "802.$3") NEAR2 (address ID identification number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 04:04
S24	130	S23 AND (((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 03:03
S25	2557	(key encrypt$3 RSA token) SAME ((NIC Ethernet MAC LAN "local area network" "media access" "802.$3") NEAR2 (address ID identification number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 04:05

S26	2593	(key encrypt$3 RSA token) SAME ((NIC Ethernet MAC LAN "local area network" "media access" "802."$3) NEAR2 (address ID identification number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 04:05
S27	160	S16 AND S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 04:12
S28	26	S27 AND (((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 04:12
S29	56	"725"/$.CCLS. AND S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 04:14
S30	6	S29 AND (((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 04:12
S31	11	"348"/$.CCLS. AND S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 04:17
S32	0	Rrusso.inv. and "725"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 04:47
S33	4	russo.inv. and "725"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 10:14
S34	74	380/264.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 10:14
S35	46	S34 AND ((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 10:32

S36	268	713/190.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 10:40
S37	98	S36 AND ((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 10:40
S38	1402	713/193.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 10:40
S39	315	S38 AND ((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 10:47
S40	51	S39 AND (encryp$4 encod$3) NEAR3 (address ID identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 10:45
S41	25	S37 AND (encryp$4 encod$3) NEAR3 (address ID identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 10:48
S42	2446	"713"/$.ccls. AND (encryp$4 encod$3) NEAR3 (address ID identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 10:47
S43	703	S42 AND ((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 10:48
S44	1374	"380"/$.ccls. AND (encryp$4) NEAR3 (address ID identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 10:50
S45	616	S44 AND ((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 10:50

S46	4	S37 AND (encryp$4 encod$3) NEAR5 ((terminal user subscriber network physical MAC) NEAR2 (address ID identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 10:50
S47	396	"380"/$.ccls. AND (encryp$4 encod$3) NEAR5 ((terminal user subscriber network physical MAC) NEAR2 (address ID identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/26 10:50
S48	187	S47 AND ((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 10:50
S49	346	725/111.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 19:40
S50	68	S49 AND ((@ad <= "19990205") or (@rlad <= "19990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 19:46
S51	7647	(S49 or "cable modem") AND ((MAC network client terminal unique) NEAR2 (address identif$5 number numeral))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 19:52
S52	983	S51 AND ((@ad <= "19990205") or (@rlad <= "19990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 19:53
S53	28	S50 AND ((MAC network client terminal unique) NEAR2 (address identif$5 number numeral))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 19:48
S54	309	S52 AND (encrypt$3) AND (authenticat$3 authoriz$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 20:05
S55	4	S53 AND (encrypt$3) AND (authenticat$3 authoriz$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 19:52

S56	920	("cable modem") SAME ((MAC network client terminal unique) NEAR2 (address identif$5 number numeral))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 20:05
S57	245	S56 AND (encrypt$3) AND (authenticat$3 authoriz$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 23:02
S58	28	S57 AND ((@ad <= "19990205") or (@rlad <= "19990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/07 20:07
S59	775	((MAC network client terminal unique) NEAR2 (address identif$5 number numeral)) WITH (encrypt$3 "key ID") WITH (authenticat$3 authoriz $5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 22:27
S60	128	S59 AND ((@ad <= "19990205") or (@rlad <= "19990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 23:00
S61	1098	348/734.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 20:36
S62	461	S61 AND ((@ad <= "19960430") or (@rlad <= "19960430"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 22:28
S63	44	("5710605").URPN.	USPAT	OR	ON	2007/01/07 20:38
S64	3	("5410326" | "5410367" | "5532754").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/07 20:38
S65	93	((assign$4 creat$3 generat $3) NEAR5 ((MAC network client terminal unique) NEAR2 (address identif$5 number numeral)) WITH (encrypt$3 "key ID") WITH (authenticat $3 authoriz$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 22:34
S66	12	S65 AND ((@ad <= "19960430") or (@rlad <= "19960430"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 22:35

S67	5848	((assign$4 creat$3 generat$3) NEAR5 ((MAC network client terminal unique) NEAR2 (address identif$5 number numeral)) WITH (headend "head end" server provider "central office")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 22:35
S68	345	S67 AND (((@ad <= "19960430") or (@rlad <= "19960430"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 22:36
S69	6756	((assign$4 creat$3 generat$3) NEAR5 ((MAC network client terminal unique) NEAR2 (address identif$5 number ID))) WITH (headend "head end" server provider "central office")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 00:04
S70	379	S69 AND (((@ad <= "19960430") or (@rlad <= "19960430"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 22:36
S71	1446	S69 AND (((@ad <= "19990205") or (@rlad <= "19990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 23:00
S72	980	S69 AND (((@ad <= "19990205") or (@rlad <= "19990205"))	USPAT	OR	ON	2007/01/07 23:03
S73	691	S72 NOT S70	USPAT	OR	ON	2007/01/07 23:01
S74	102	S69 SAME (encrypt$3) SAME (authenticat$3 authoriz$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 23:26
S75	20	S74 AND (((@ad <= "19990205") or (@rlad <= "19990205"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 00:03
S76	1485	((encrypt$3 key) NEAR5 ((MAC network client terminal unique) NEAR2 (address identif$5 number ID))) WITH (headend "head end" server provider "central office")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 23:25

S77	271	S76 AND ((@ad <= "19990205") or (@rlad <= "19990205"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 23:25
S78	27	((encrypt$3 key) NEAR5 ((MAC network client terminal unique) NEAR2 (address identif$5 number ID))) WITH cookie WITH (headend "head end" server provider "central office")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 23:25
S79	9	S78 AND ((@ad <= "19990205") or (@rlad <= "19990205"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 23:26
S80	424	cookie SAME (encrypt$3) SAME (authenticat$3 authoriz $5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 23:26
S81	50	S80 AND ((@ad <= "19990205") or (@rlad <= "19990205"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 23:26
S82	1446	S69 AND ((@ad <= "19990205") or (@rlad <= "19990205"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 00:05
S83	334	((assign$4 creat$3 generat $3) NEAR5 ((MAC) NEAR2 (address identif$5 number ID))) WITH (headend "head end" server provider "central office")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 00:04
S84	54	S83 AND ((@ad <= "19990205") or (@rlad <= "19990205"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 00:51
S85	83	"6182142"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 00:51

S86	18	S85 AND ((@ad <= "19990205") or (@rlad <= "19990205"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 00:51
S87	2	"6222531".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 04:37
S88	817	server WITH (allocat$3 assign $4) WITH ((MAC Ethernet LAN "local network") NEAR2 (address ID identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/28 16:14
S89	75	S88 AND ((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 16:14
S90	794	(encrypt$3 decrypt$3) WITH ((MAC Ethernet LAN "local network") NEAR2 (address ID identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/28 16:40
S91	36	S90 AND ((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 16:40
S92	2041	(allocat$3 assign$4) WITH ((MAC Ethernet LAN "local network") NEAR2 (address ID identification)) WITH ((IP Internet) NEAR2 (address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/28 17:00
S93	127	S92 AND ((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 17:00
S94	9	("5825772" | "5978373" | "5982775" | "5999530" | "6006256" | "6018766" | "6091732" | "6144673" | "6147995").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/28 17:26
S95	5	("5548726" | "5594921" | "5774668" | "5884039" | "5922049").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/28 17:38

S96	16	("4475123" | "4930123" | "5210748" | "5535338" | "5560038" | "5615340" | "5677910" | "5720032" | "5790806" | "5805806" | "5896512" | "5912896" | "5926626" | "5943604" | "5970066" | "6047325").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/28 19:15
S97	3	("5327560" | "5414812" | "5636371").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/28 19:20
S98	79	("6047325").URPN.	USPAT	OR	ON	2008/09/28 19:20
S99	123	(allocat$3 assign$4) WITH ((unique) NEAR2 (MAC Ethernet LAN "local network") NEAR2 (address ID identification)) WITH ((IP Internet) NEAR2 (address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/28 19:28
S100	4	S99 AND (((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 19:28
S101	531	(allocat$3 assign$4) WITH ((unique) NEAR2 (MAC Ethernet LAN "local network") NEAR2 (address ID identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/28 19:29
S102	45	S101 AND (((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 19:29
S103	23	(encrypt$3 decrypt$3) WITH ((unique) NEAR2 (MAC Ethernet LAN "local network") NEAR2 (address ID identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/28 19:38
S104	3	S103 AND (((@ad <= "19990205") or (@rlad <= "1990205"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 19:38
S105	2	"5835725".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/28 19:56

3/ 29/ 09 11:49:09 PM

C:\ Documents and Settings\ RBrown1\ My Documents\ EAST\ Workspaces\ 9-496769.wsp